Medtronic

Appose[™] ULC skin stapler

Single-use skin stapler with stainless steel staples

Features

- Two staple width/height options
- Clear plastic cartridge for enhanced staple count visibility

Benefits

- Wound closure flexibility
- Enhanced cosmesis

Proper positioning

The Appose™ ULC skin stapler is designed to be fired from multiple angles. It has an ejector spring that automatically disengages the staple to facilitate instrument removal in any direction.



Appose[™] ULC skin stapler

Staple formation

The flat, dimpled staple top span is designed to ensure proper staple formation. To use the skin stapler properly, squeeze the trigger completely and release. **Do not pull or lift up the stapler when releasing the trigger.** Failure to completely squeeze the handle can result in incomplete staple formation and insufficient wound approximation.







Fully squeeze and release trigger **before** lifting.



Do not lift or rotate until staple is released.

Ordering information

Order code	Description	Units per box
8886803512	Appose™ ULC skin stapler with 35 regular staples	12
8886803712	Appose™ ULC skin stapler with 35 wide staples	12
150462	Premium™ single-use skin staple remover	12

Important: Please refer to the package insert for complete instructions, contraindications, warnings, and precautions.

©2024 Medtronic. Medtronic, Medtronic logo, and Engineering the extraordinary are trademarks of Medtronic. All other brands are trademarks of a Medtronic company. 04/2024 - US-ST-2000085 - [WF#1124251]



Staple specifications

Appose™ ULC single-use skin staplers are available in two different staple sizes: regular and wide. In the closed position, the regular staple has a width of 5.88 mm and leg length of 4.10 mm; the wide staple has a width of 6.50 mm and leg length of 4.10 mm.

	Size	Closed position	Wire
35R	10.87 mm	5.88 mm 4.1 mm	0.57 mm
35W	13 mm 3.25 mr	6.5 mm n 4.1 mm	0.56 mm

Stainless steel composition of staple		
Carbon	0.03%	
Chrome	16.0 -19.0%	
Nickel	10.0 -15.5%	
Manganese	2.0%	
Silicon	1.0%	
Sulphur	0.03%	
Phosphorus	0.045%	
Molybdenum	2.0 - 3.0%	
Nitrogen	0.10%	
Copper	0.50%	
Iron	Balance	

