## Independent Assurance Statement to Medtronic PLC

Medtronic PLC (Medtronic) engaged ERM Certification and Verification Services Inc (ERM CVS) to provide limited as surance in relation to specified safety performance metrics in Medtronic 2021 Integrated Performance Report (the report).

Engagem ent summary	
Scope of our assurance engagement	<ul> <li>Whether the follow ing FY20 (1 May 2019 – 30 April 2020) and FY21 (1 May 2020 – 30 April 2021) safety performance metric are fairly presented in the report, in all material respects, with the reporting criteria:</li> <li>Employee Injury Incident Rate (per 200,000 hours)</li> <li>Employee Lost/Restricted Workday Case Rate (per 200,000 hours)</li> <li>Fatalities [number]</li> </ul>
Reportingcriteria	Medtronic's internal reporting criteria and definitions as described in the report
Assurance standard	ERM CVS' assurance methodology, based on the International Standard on Assurance Engagements ISAE 3000 (Revised).
Assurance le vel	Limited assurance
Respective responsibilities	Medtronic is responsible for preparing the data and for its correct presentation in reporting to third parties, including disclosure of the reporting criteria and boundary. ERM CVS's responsibility is to provide conclusions on the agreed scope based on the assurance activities performed and exercising our professional judgement.

## Our conclusions

Based on our activities, nothing has come to our attention to indicate that the FY20 and FY21 safety performance metrics, as listed above, are not fairly presented in the report, in all material respects, with the reporting criteria.

## Our assurance activities

Our objective w as to assess whether the safety performance metrics are reported in accordance with the principles of completeness, comparability (across the organisation) and accuracy (including calculations and consolidation). We planned and performed our w ork to obtain all the information and explanations that we believe were necessary to provide a basis for our assurance conclusions.

A multi-disciplinary team of EHS and assurance specialists performed the follow ing activities:

- Conference calls with corporate staff at Medtronic headquarters in Minneapolis, USA to understand and evaluate the data management systems and processes used for collecting and reporting the safety data. This included review and testing of;
  - o internal QA/QC processes for reported data
  - o internal incident classification definitions and reporting procedures
  - a sample of incidents for accuracy of incident classification and alignment with corporate definitions, and
     processes for consolidating reported data.
- Remote engagement with five operations (Danvers (USA), Fridley OHQ (USA), Galw ay Parkmore (Ireland), San Isidro (Dominican Republic) and North Haven (USA)) to review incident investigation and classification processes and assess accuracy and completeness of data.
- A review of the presentation of information relevant to the scope of our w ork in the report.

## The limitations of our engagement

The reliability of the assured data is subject to inherent uncertainties, given the available methods for determining, calculating or estimating the underlying information. It is important to understand our assurance conclusions in this context. Due to travel and distancing restrictions imposed following the outbreak of COVID-19, we were unable to undertake our standard assurance activities that would include in person visits to both Medtronic's head office and operational sites. Our alternative program for this year included additional desk-based data analyses, testing and evidence review as well as 'remote visits' to Medtronic's head office and operational sites to review data systems and interview responsible staff.

Beth C. B. myle

Beth Wyke Partner, Head of Corporate Assurance 15 July 2021 ERM Certification and Verification Services Inc www.emcvs.com; email: post@ermcvs.com



ERM CVS is a member of the ERM Group. The work that ERM CVS conducts for clients is solely related to independent assurance activities and auditor training. Our processes are designed and implemented to ensure that the work we undertake with clients is free from bias and conflict of interest ERM CVS and the ERM staff that have undertaken this engagement work have provided no consulta ncy related services to Medtronic PLC in any respect.